

Work Order ID 141000***141000***

Page 1

Tuesday, January 26, 2016 3:18:00 PM

Item ID: D2932-2BL

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle RH Out, 206

Start Date: 1/26/2016 Start Qty: 4.00

Required Date: 1/26/2016 Req'd Qty: 4.00

Cust Item ID:

Customer:

Reference:

Approvals: Process Plan: MUS Date: JAN 28 2016 Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2932	Rev C								

100

0.01

100

HAAS 1

HAAS CNC vertical machine #1

HAAS CNC VERTICAL MACHINING #1

Memo

0.05

Program part number and batch number.

1-Inspect part number and batch number are programmed correctly.

2-Machine Step No 1 of Folio and visually inspect as per dwg D2932 & attached Dimension Sheet

3-Machine Step No 2 of Folio and visually inspect as per

10 0 16/23/07

110

0.00

110

Mill Conv

Conventional Milling Machine

CONVENTIONAL MILLING MACHINE

Memo

0.14

Machine Keyway and inspect per attached dimension sheet

10 0 16/03/07

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐			
Design ☐	☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐			
Doc/Data ☐	☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐			
Equip/Tooling ☐	☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐			
Handling/Pre ☐	☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐			
Material ☐	☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐			
Internal Transport ☐	☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐			
Tribal Knowledge ☐	☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐			
LOA ☐	☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐			
Substation ☐	☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐			
Past Expiry Date ☐	☐	Manufacturing Process ☐	OTHER :						
Misidentified ☐	☐	Past Due ☐							

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 141000

141000

Page 3

Tuesday, January 26, 2016 3:18:00 PM

Item ID: D2932-2BL Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Saddle RH Out, 206
 Start Date: 1/26/2016 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 1/26/2016 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Spray Painting per QSI005 4.2	0.00							DAS 41 9-89
150						10			16-3-8
SprayPaint	Memo	0.00							
Spray Painting	***MASK ALL HOLES AS PAR16-484***								
	SPRAY PAINT BLEU BATCH: _____								
160	QC14- Inspect Spray Paint	0.00							DAS 38 9-89
160						10			
QC	Memo	0.00							
Quality Control									
170	Identify as per dwg & Stock Location: 51392	0.00							DAS 6 9-89
170						10			
Packaging	Memo	0.00							
Packaging									

MAR 09 2016

MAR 08 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 141000

141000

Page 4

Tuesday, January 26, 2016 3:18:00 PM

Item ID: D2932-2BL

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Saddle RH Out, 206

Start Date: 1/26/2016 Start Qty: 4.00 *4*

Cust Item ID:

Required Date: 1/26/2016 Req'd Qty: 4.00 *4*

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

180

QC21- Final Inspection - Work Order Release

0.00

180

QC

Memo

0.01

Quality Control

MAR 10 2016

MAR 09 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER :							
Misidentified ☐	☐ Past Due								

Picklist Print

Tuesday, January 26, 2016 3:17:59 PM

Page 1

Work Order ID: 141000

141000

Parent Item: D2932-2BL

***D2932-2BL ***

Parent Item Name: Saddle RH Out, 206

Start Date: 1/26/2016

Required Date: 1/26/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP: B00.06.26New DWG rev (mpp 2069)EC
IPP Rev:C As per Rev C 07-03-19 JLM
16.01.22 PAR16-484 DD VERF:JLM

IPP REV:D

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-003		Manufactured	No			100	Each	76.0000	1	4			

D6101-003

Saddle Billet, 7075

<u>Location</u>	<u>Loc Qty</u>	<u>Loc Code</u>
MAT045	56	
134038	8	
135957	28	
→ 136764	20	
MAT046	20	
138991	20	

10

mk 16/03/04

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
		OTHER : ☐							





SECTION A-A



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 141,000 M.C.S
16-01-28

SECTION B-B



VIEW C-C

D2932-1 LH SADDLE (SHOWN)
D2932-2 RH SADDLE (OPPOSITE)

- NOTES:**
- 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12) (MAKE FROM D6101-003 SADDLE BILLET, 7075)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT GLOSS WHITE (REF 4.3.5.1) PER DART QSI 005 4.3
 - 3) BREAK ALL SHARP EDGES 0.010 TO 0.020
 - 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
 - 5) ALL DIMENSIONS ARE IN INCHES
 - 6) ENGRAVE PART AND BATCH NUMBER IN THIS AREA 0.010 TO 0.015 DEEP

C	06.11.09	R0.188 WAS R0.30 TO R0.25
B	00.05.29	CHANGED GEOMETRY AND MATERIAL
A	99.10.29	NEW ISSUE
DESIGN	<i>PH</i>	DRAWN BY <i>CB</i>
CHECKED	<i>PH</i>	APPROVED <i>CB</i>
DATE	06.11.09	TITLE SADDLE OUTSIDE
DRAWING NO. D2932		REV. C SHEET 1 OF 1
DART DART AEROSPACE USA, INC. BELLEVUE, WA		SCALE 2:3

COPYRIGHT © 1993 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

RELEASED
07-02-12

DART AEROSPACE LTD	Work Order: 141000
Description: 206 Saddle, Outboard, Right side	Part Number: D2932-2
Inspection Dwg: D2932 Rev. C	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		0.128	0.128	0.128	0.128		
B	0.100	0.140		0.128	0.128	0.128	0.128		
C	0.100	0.140		0.120	0.116	0.118	0.118		
D	0.210	0.230		0.225	0.224	0.223	0.223		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		0.512	0.512	0.512	0.512		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		0.258	0.258	0.258	0.258		
L	0.312	0.317		0.314	0.314	0.314	0.314		
M	0.235	0.240		0.238	0.238	0.238	0.238		
N	0.100	0.140		0.122	0.111	0.122	0.122		
O	0.540	0.560		0.548	0.548	0.547	0.547		
P	0.490	0.510		0.500	0.500	0.500	0.500		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.470	2.510		2.490	2.490	2.490	2.490		
S	0.240	0.270		0.252	0.252	0.252	0.252		
T	0.100	0.180		0.140	0.140	0.140	0.140		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		0.317	0.317	0.317	0.317		
X	1.125	1.145		1.1365	1.137	1.137	1.137		
Y	1.565	1.585		1.5755	1.575	1.575	1.575		
Z	0.178	0.198		0.188	0.188	0.188	0.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject				✓	✓	✓	✓		

Measured by:	<i>[Signature]</i>
Date:	16/03/06

DAS	
Audited by:	14
Date:	9-39 16/03/07

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	<i>[Signature]</i>

DART AEROSPACE LTD	Work Order:	141000
Description: 206 Saddle, Outboard, Right side	Part Number:	D2932-2
Inspection Dwg: D2932 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	5	6	7	8	By	Date
A	0.100	0.140		0.128	0.117	0.127	0.127		
B	0.100	0.140		0.128	0.127	0.127	0.127		
C	0.100	0.140		0.118	0.117	0.119	0.119		
D	0.210	0.230		0.223	0.223	0.223	0.223		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		0.512	0.512	0.512	0.512		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		0.258	0.258	0.258	0.258		
L	0.312	0.317		0.314	0.314	0.314	0.314		
M	0.235	0.240		0.238	0.238	0.238	0.238		
N	0.100	0.140		0.121	0.123	0.123	0.123		
O	0.540	0.560		0.547	0.547	0.547	0.547		
P	0.490	0.510		0.500	0.499	0.498	0.498		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.470	2.510		2.490	2.490	2.490	2.490		
S	0.240	0.270		0.252	0.252	0.252	0.252		
T	0.100	0.180		0.140	0.140	0.140	0.140		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		0.317	0.317	0.317	0.317		
X	1.125	1.145		1.135	1.135	1.135	1.137		
Y	1.565	1.585		1.575	1.575	1.575	1.5765		
Z	0.178	0.198		0.188	0.188	0.188	0.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject				✓	✓	✓	✓		

Measured by:	<i>h.s.d</i>
Date:	16/03/06

Audited by:	DAS
Date:	14 9-30 16/03/07

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	<i>[Signature]</i>

DART AEROSPACE LTD	Work Order:	141000
Description: 206 Saddle, Outboard, Right side	Part Number:	D2932-2
Inspection Dwg: D2932 Rev. C		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2932 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	9	10	B	B	By	Date
A	0.100	0.140		0.127	0.127				
B	0.100	0.140		0.127	0.127				
C	0.100	0.140		0.119	0.119				
D	0.210	0.230		0.223	0.224				
E	1.245	1.255		1.250	1.250				
F	1.245	1.255		1.250	1.250				
G	2.495	2.505		2.500	2.500				
H	0.510	0.515		0.512	0.512				
I	1.572	1.582		1.577	1.577				
J	2.495	2.505		2.500	2.500				
K	0.257	0.262		0.258	0.258				
L	0.312	0.317		0.314	0.314				
M	0.235	0.240		0.238	0.238				
N	0.100	0.140		0.123	0.123				
O	0.540	0.560		0.547	0.548				
P	0.490	0.510		0.500	0.500				
Q	3.715	3.725		3.720	3.720				
R	2.470	2.510		2.500	2.500				
S	0.240	0.270		0.251	0.251				
T	0.100	0.180		0.140	0.140				
U	1.625	1.635		1.630	1.630				
V	1.362	1.372		1.377	1.377				
W	0.316	0.321		0.317	0.317				
X	1.125	1.145		1.135	1.135				
Y	1.565	1.585		1.575	1.575				
Z	0.178	0.198		0.188	0.188				
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject				✓	✓				

Measured by:	<i>WSP</i>
Date:	16/03/07

Audited by:	DAS 14
Date:	9-39 16/03/07

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Re-format; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	<i>[Signature]</i>